

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 30 1979

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 12 1979

The applicant David L. and Karen A. Koch and Jerry McBreayer  
2520 Sagittarius, of Reno,  
Street and No. or P.O. Box No. City or Town  
Nevada 89509, hereby make application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground  
Name of stream, lake or other source.

2. The amount of water applied for is 0.05 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for (five retail stores) commercial  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the SW $\frac{1}{4}$  of the SW $\frac{1}{4}$  Sec. 32, T17N, R20E, MDB&M a distance of 772.73' on a bearing of N 72°44'12" E from the section corner common to Sections 31, 32.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

T17N, R20E, MDB&M; 6 & 5 T16N, R20E, MDB&M  
it should be stated.

6. Place of use Lot C-9, of Unit 6, New Washoe City subdivision  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

a portion of the SW $\frac{1}{4}$  of the SW $\frac{1}{4}$  Sec 32, T17N, R20E, MDB&M

7. Use will begin about January 1 and end about December 31, of each year.  
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Deepwell, submersible turbine pump, pressure system and distribution system  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$25,000.....
10. Estimated time required to construct works.....2 years.....
11. Estimated time required to complete the application to beneficial use.....5 years.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Initially a feed store will be constructed with four small retail stores to follow provided sanitation regulations and other constraints so allow

Applicant David L. and Karen A. Koch;  
Jerry McBreayer

By s/ Brien B. Walters, Agent  
252 W 1st St., Suite 304  
Reno, NV 89501

Compared LP/ha ja/dr

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed .05 cubic feet per second, but not to exceed .365 million gallons annually.

- Actual construction work shall begin on or before June 18, 1980
- Proof of commencement of work shall be filed before July 18, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before June 18, 1981
- Proof of completion of work shall be filed before July 18, 1981
- Application of water to beneficial use shall be made on or before June 18, 1983
- Proof of the application of water to beneficial use shall be filed on or before July 18, 1983
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed JUL 29 1980

Completion of work filed SEP 16 1983

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded OCT 6 1988 Page

CANCELLED

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 18th day of DECEMBER  
A.D. 1979  
William J. Newman  
State Engineer

STATE ENGINEER